



# SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519

|  |                        |
|--|------------------------|
| <b>Product name:</b> ANTI-RUST LUBRICANT | <b>SDS No.:</b> EN1008 |
| <b>Revision date:</b> 2022-1-19          | <b>Version #:</b> V2.0 |

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### 1.1 Product identifier

**Product name:** ANTI-RUST LUBRICANT

**Product code:** - PMRL450

### 1.2 Uses and uses advised against

**Use(s):** Lubricant, anti-rust apply

### 1.3 Details of the supplier of the product

**Supplier name:** PM Distribution Ltd

**Address:** 3 Glenford Road, Newtownards, BT23 4AU

**Telephone:** 028 9181 1130

**Website:** [www.autochoicedirect.co.uk](http://www.autochoicedirect.co.uk)

### 1.4 Emergency telephone number(s)

**Emergency:** 028 9181 1130

## 2. HAZARDAS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Flammable aerosol. CONTENTS UNDER PRESSURE.

Pressurized container may rupture when exposed to heat or flame. May be fatal if swallowed and enters airways. May cause genetic defects. Dangerous for the environment if discharged into watercauses.

### 2.2 Hazard categories

**Aerosols:** Category 1

**Aspiration hazard:** Category 1

**Acute toxicity, dermal:** Category 5

**Gem cell mutagenicity:** Category 1B

**Hazardous to the aquatic environment, acute hazard:** Category 1

**Hazardous to the aquatic environment, long-term hazard:** Category 3

## 2.3 Label elements

### Pictograms



### Signal word

Danger

### Hazard statement

|      |   |
|------|---|
| H223 | Flammable aerosol.                            |
| H229 | Pressurized container: may burst if heated.   |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin.          |
| H340 | May cause genetic defects.                    |
| H401 | Toxic to aquatic life.                        |
| H411 | Toxic to aquatic life with lasting effects.   |

### Precautionary statement

#### 【Prevention】

|      |  |
|------|--|
| P201 | Obtain special instructions before use.                                    |
| P202 | Do not handle until all safety precautions have been read and understood.  |
| P210 | Keep away from heat/spark/open flames/hot surfaces. No smoking.            |
| P211 | Do not spray on an open flame or other ignition source.                    |
| P251 | Do not pierce or burn, even after use.                                     |
| P280 | Wear protective gloves/protective clothing /eye protection/face protection |
| P273 | Avoid release to the environment.  |

**【Response】**

- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P331 Do NOT induce vomiting.
- P308+P313 If exposed or concerned: Get medical advice/attention.
- P312 Call a POISON CENTER/doctor if you feel unwell
- P391 Collect spillage.

**【Storage】**

- P405 Store locked up.
- P410+P412 Protect from sunlight. Do not expose to temperature exceeding 50°C/122°F.

**【Disposal】**

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Physical and chemical hazards**

Flammable aerosol. The product is stable and non-reactive under normal conditions of use, storage and transport.

**Health hazards**

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. May be harmful in contact with skin. Prolonged inhalation may be harmful.

**Environment hazards**

Toxic to aquatic life with lasting effects.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

| Substance/Mixture                           | Mixture           |            |
|---|-------------------|------------|
| Substance/mixture                           | Concentration (%) | CAS No.    |
| Distillates (petroleum), hydrotreated light | 60-70             | 64742-47-8 |
| Liquefied petroleum gas                     | 20-30             | 68476-85-7 |

---

|  |         |             |
|--|---------|-------------|
| Distillates (petroleum), solvent-dewaxed | 10-20   | 64742-56-9  |
| Mineral oil                              | 5-10    | 8042-47-5   |
| Calcium Sulfonate                        | 5-10    | Proprietary |
| Perfume                                  | 0.2-1.0 | N.A.        |

---

---

## 4. FIRST AID MEASURES

---

### 4.1 Description of first aid measures

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact:** Wash off with soap and water. Get medical advice/attention if you feel unwell.

**Eye contact:** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### 4.3 Personal protection for first aid responders

If exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this Safety Data Sheet to the doctor in attendance.

### 4.4 Special notes to physician

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptom may be delayed.

---

## 5. FIRE FIGHTING MEASURES

---

### 5.1 Specific hazards

Flammable. May evolve toxic gases(Carbon oxide, hydrogen chloride, phosgene, hydrocarbons) when heated to decomposition. Vapor may explosive mixtures with air. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, etc when handling. Aerosol cans may explode at temperature above 50°C.

### **5.2 Extinguishing media**

Water fog. Foam. Dry chemical power. Carbon dioxide(CO<sub>2</sub>). Prevent contamination of drains and waterways.

### **5.3 Special fire fighting procedures**

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.

### **5.4 Protection of fire-fighters**

Fire-fighters must be use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

---

## **6. ACCIDENTAL RELEASE MEASURES**

---

### **6.1 Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### **6.2 Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### **6.3 Clean-up methods and materials and containment measures**

Stop leak if you can do so without risk. Eliminate all ignition sources(no smoking, flares, sparks, or flames in immediate area). Keep combustibles(wood, paper, oil, etc.)away from spilled material. This product is miscible in water. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material(e.g. cloth, fleece).Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

---

## **7. HANDLING AND STORAGE**

---

### **7.1 Handling**

Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

### **7.2 Storage**

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C /122°F . Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials(see section 10 of the SDS).

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1 Control parameters

#### Exposure limits

#### China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents(GBZ 2.1-2007)

| Components                                  | Cas No.    | TWA               | STEL              |
|---|------------|-------------------|-------------------|
|   |            | mg/m <sup>3</sup> | mg/m <sup>3</sup> |
| Liquefied petroleum gas                     | 68476-85-7 | 1000              | 1500              |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | 5                 | 5                 |
| Distillates (petroleum), solvent-dewaxed    | 64742-56-9 | 5                 | 5                 |

#### Biological limit value

No biological exposure limits noted for the ingredients.

#### Monitoring methods

Follow standard monitoring procedures.

### 8.2 Engineering measures

Good general ventilation(typically 10 air changes per hour)should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level.

### 8.3 Respiratory protection

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies.

### 8.4 Eye protection

Wear safety glasses with side shields(or goggles).

### 8.5 Skin and body protection

Wear appropriate chemical resistant clothing.

## 8.6 Hand protection

Wear protective gloves such as: Nitrile. Neoprene

## 8.7 Hygiene measures

Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

|                                      |                         |                                      |                    |
|--------------------------------------|-------------------------|--------------------------------------|--------------------|
| <b>Appearance</b>                    | LIGHT AMBER LIQUID      |                                      |                    |
| <b>Odor</b>                          | MILD PETROLEUM<br>ODOUR | <b>pH</b>                            | NOT AVAILABLE      |
| <b>Odor threshold</b>                | NOT AVAILABLE           | <b>Boiling point</b>                 | NOT AVAILABLE      |
| <b>Melting point</b>                 | NOT AVAILABLE           | <b>Flash point</b>                   | <23°C (PROPELLANT) |
| <b>Evaporation rate</b>              | NOT AVAILABLE           | <b>Flammability</b>                  | FLAMMABLE          |
| <b>Upper explosion limit</b>         | NOT AVAILABLE           | <b>Lower explosion limit</b>         | NOT AVAILABLE      |
| <b>Vapour density<br/>(air=1)</b>    | >1                      | <b>Specific gravity</b>              | 0.85               |
| <b>Solubility(water)</b>             | INSOLUBLE               | <b>Vapour pressure</b>               | NOT AVAILABLE      |
| <b>Auto ignition<br/>temperature</b> | NOT AVAILABLE           | <b>Decomposition<br/>temperature</b> | NOT AVAILABLE      |
| <b>Viscosity</b>                     | NOT AVAILABLE           | <b>Explosive properties</b>          | NOT AVAILABLE      |
| <b>Oxidising properties</b>          | NOT AVAILABLE           |                                      |                    |

### 9.2 Other information

% Volatiles      40%



---

## 10. STABILITY AND REACTIVITY

---

### 10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### 10.2 Stability

Material is stable under normal conditions.

### 10.3 Incompatibile materials

Strong oxidizing agents. Acids.

### 10.4 Conditions to avoid

Heat. Spark. Flame. Ignition sources.

### 10.5 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.6 Hazardous decomposition products

Carbon oxides.

---

## 11. TOXICOLOGICAL INFORMATION

---

### 11.1 Acute toxicity

Harmful if swallowed, in contact with skin, and/or if inhaled.

### 11.2 Skin corrosion/irritation

Contact may result in drying and defatting of the skin, rash and dermatitis.

### 11.3 Serious eye damage/eye irritation

Contact may result in irritation, lacrimation, pain and redness.

### 11.4 Respiratory or skin sensitization

No data provided.

### 11.5 Germ cell mutagenicity

May cause genetic defects.

### 11.6 Toxic to reproduction

No data provided.

### **11.7 Carcinogenicity**

No data provided..

### **11.8 STOT-single exposure**

Not classified.

### **11.9 STOT-repeated exposure**

Not classified.

### **11.10 Aspiration hazard**

Not classified.

---

## **12. ECOLOGICAL INFORMATION**

---

### **12.1 Ecotoxicity**

No information provided.

### **12.2 Persistence and degradability**

No information provided.

### **12.3 Bioaccumulative potential**

No information provided.

### **12.4 Mobility in soil**

No information provided.

### **12.5 Other adverse effects**

No information provided.

---

## **13. DISPOSAL CONSIDERATIONS**

---

### **13.1 Waste treatment methods**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

### **13.2 Local disposal regulations**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

---

## 14. TRANSPORT INFORMATION

---

|                                    | <b>CNDG</b>                                  | <b>IMDG</b>                       | <b>IATA</b>                                  |
|------------------------------------|--|-----------------------------------|--|
| <b>14.1 UN number</b>              | <b>1950</b>                                  | <b>1950</b>                       | <b>1950</b>                                  |
| <b>14.2 Proper shipping name</b>   | <b>Aerosols, flammable, Limited Quantity</b> | <b>Aerosols, Limited Quantity</b> | <b>AEROSOLS, flammable, Limited Quantity</b> |
| <b>14.3 Transport hazard class</b> | <b>2.1</b>                                   | <b>2.1</b>                        | <b>2.1</b>                                   |
| <b>Packing group</b>               | <b>Not available</b>                         | <b>Not available</b>              | <b>Not available</b>                         |

### 14.4 Transport mark



(CNDG、IMDG)



(IATA)

**14.5 Environmental hazards:** Not available

**14.6 Special precautions for user:** Read safety instruction, SDS and emergency procedures before handling.

---

## 15. REGULATORY INFORMATION

---

This safety data sheet conforms to the following laws, regulations and standards:

Regulations on the Control over Safety of Dangerous Chemicals

Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Measures for the safe Use of Chemical in Workplaces

Safety Data Sheet for chemical Products -Content and Order of Sections(GB/T16483)

General Rules for Preparation of Precautionary Labels for Chemicals(GB 15258)

Packing Symbol of Dangerous Goods(GB 190)

Packing -Pictorial Marking for Handling of Goods(GB/T 191)

Classification and Code of Dangerous Goods(GB 6944)

List of Dangerous Goods(GB 12268)

The principle of Classification of Transport Packaging Group of Dangerous Goods  
( GB/T 15098 )

General Specifications for Transport Packages of Dangerous Goods(GB 12463)

Regulations on Road Transport of Dangerous Goods

Regulations on Railway Transport of Dangerous Goods

UN Recommendations on the Transport of Dangerous Goods(UN RTDG)

---

## 16. OTHER INFORMATION

---

### References

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

**Disclaimer :** The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this SDS consult your supervisor, a health & safety professional, or PM Distribution Ltd